

PRESENTED **FREE** IN *Woman* * NEWEST KNITTEDS



P&B
WOOLS
6^D

HIGH-FASHION JACKETS PLUS
SEVEN SIZES

A BED JACKET
IN
SIMPLE CROCHET

Red Z



A line of cable trims the raglan shapings on back and front. Borders are made in doubled bands of twisted rib. Front edges are faced with ribbon

Easy two-row pattern forms the nubby stitch of this snug jacket. The fashionable, large collar is edged with simple crochet for a neat finish

MATERIALS.—21 (22 : 23) oz. Patons Purple Heather 4-ply; two each Nos. 9 and 12 knitting needles; 6 buttons.

Measurements.—To fit up to a 36 (38 : 40) in. bust measurement; length, 20½ ins.; sleeve, 18 ins.

Tension.—7 sts. to 1 in.

Abbreviations.—See opposite page.

BACK.—With No. 12 needles cast on 126 (134 : 142) sts. and work 3½ ins. in k. 1, p. 1 rib, inc. 1 st. at end of last row. Change to No. 9 needles and patt.: **1st row.**—K. 1, p. 1, (inc. in next st., p. 1) to last st., k. 1. **2nd row.**—K. 2, (p. 2 tog., k. 1) to last st., k. 1. These 2 rows form patt. Continue in patt. until

work measures 13 ins.

Armhole Shaping.—Cast off 8 (9 : 10) sts. at beg. of next 2 rows, then dec. 1 st. each end of every row until 91 (97 : 103) sts. remain. Continue in patt. until work measures 20½ ins.

Shoulder Shaping.—Cast off 9 (10 : 11) sts. at beg. of next 6 rows. Cast off.

LEFT FRONT.—With No. 12 needles cast on 64 (68 : 72) sts. and work 3½ ins. in k. 1, p. 1 rib, inc. 1 st. at end of last row. Change to No. 9 needles and patt. as back until work measures 13 ins., ending with a wrong-side row.

Armhole Shaping.—Cast off 8 (9 : 10) sts. at beg. of next row, then dec. 1 st. at

side edge on next 10 rows. 46 (49 : 52) sts.

Front Shaping.—Now dec. 1 st. at front edge on next and every 3rd row until 27 (30 : 33) sts. remain. Continue in patt. until work measures 20½ ins., ending with a wrong-side row.

Shoulder Shaping.—Cast off 9 (10 : 11) sts. at beg. of next and following 2 alternate rows.

RIGHT FRONT.—Work as left front, reversing shapings.

SLEEVES.—With No. 12 needles cast on 64 (66 : 68) sts. and work 3½ ins. in k. 1, p. 1 rib, inc. 1 st. at end of last row. Change to No. 9 needles and patt. as back,
continued on back page

Blue Cardigan

Zip-up

MATERIALS.—16 (17 : 18) oz. Patons Totem Double Knitting; two each Nos. 9 and 11 knitting needles; 22-in. open-end zip; 1½ yds. 1-in. facing ribbon.

Measurements.—To fit up to a 34 (36 : 38) in. bust measurement; length, 23½ ins.; sleeve, 17½ ins.

Tension.—6 sts. and 8 rows to 1 in.

Abbreviations.—See below.

BACK.—With No. 11 needles cast on 112 (118 : 124) sts. **1st row.**—(K. 1 t.b.l., p. 1) to end. **2nd row.**—(K. 1, p. 1 t.b.l.) to end. Continue thus in twisted rib until work measures 3 ins. Change to No. 9 needles and continue in st.st. until work measures 16 ins., ending p.

Raglan Shaping.—Cast off 2 (4 : 6) sts. at beg. of next 2 rows. Now work cable patt. thus: **1st row.**—P. 1, k. 8, p. 1, k. 2 tog. t.b.l., k. to last 12 sts., k. 2 tog., p. 1, k. 8, p. 1. **2nd row.**—K. 1, p. 8, k. 1, p. to last 10 sts., k. 1, p. 8, k. 1. **3rd row.**—P. 1, sl. next 4 sts. on to a cable needle and leave at front of work, k. 4, then k. 4 from cable needle—referred to as “c. 8,” p. 1, k. 2 tog. t.b.l., k. to last 12 sts., k. 2 tog., p. 1, c. 8, p. 1. **4th row.**—As 2nd. Rep. 1st and 2nd rows twice. Rep. these 8 rows until 40 (42 : 44) sts. remain. Work 1 row. Cast off.

RIGHT FRONT.—With No. 11 needles cast on 56 (58 : 62) sts. and work 3 ins. in twisted rib, inc. 1 st. at end of last row on 2nd size only. Change to No. 9 needles and st.st. until 16 ins., ending k.

Raglan Shaping.—Cast off 2 (4 : 6) sts. at beg. of next row. Now work cable patt. thus: **1st row.**—K. to last 12 sts.,
continued on back page

ABBREVIATIONS FOR ALL GARMENTS

K. = knit; p. = purl; st., sts. = stitch, stitches; in., ins. = inch, inches; inc. = increase; dec. = decrease; tog. = together; sl. = slip; p.s.s.o. = pass sl. st. over; w.fd. = wool forward; t.b.l. = through back of loop; t. 2 = twist 2; c. 2 r. = cross 2 right; c. 2 l. = cross 2 left; rd. 2 = ridge 2; m. 1 = make a st. (by picking up loop before next st. and k. into back of it); beg. = beginning; rep. = repeat; patt. = pattern; d.c. = double crochet; M.C. = main colour; C. = contrast.

Note.—Where more than one size is given, instructions are for smallest size with alterations for larger sizes in brackets.



This trim little bolero in a new, tweedy textured wool, is entirely in reversed stocking stitch

White Bolero

MATERIALS.—9 (10 : 11) oz. Patons Rimple Double Knitting; 1 pair each Nos. 8 and 10 knitting needles; 5 buttons.

Measurements.—To fit a 33 (35 : 37) in. bust; length, 16½ (17 : 17½) ins.; sleeve seam, 3 (3 : 3) ins.

Tension.—5 sts. and 6 rows to 1 in.

Abbreviations.—See left.

BACK.—With No. 8 needles cast on 78 (84 : 90) sts. and work in reversed st.st. (beg. p.), inc. 1 st. each end of every 4th row until there are 92 (98 : 104) sts. Continue until work measures 6 ins.

Raglan Shaping.—Cast off 3 (4 : 5)

sts. at beg. of next 2 rows. Dec. 1 st. beg. of every row until 24 sts. remain. Cast off.

LEFT FRONT.—With No. 8 needles cast on 21 (24 : 27) sts. and work in reversed st.st. (beg. p.), casting on 2 sts. at beg. of 2nd and every alternate row 9 times at the same time inc. 1 st. at side edge on every 4th row until there are 46 (49 : 52) sts. Continue straight until work measures 6 ins., ending k.

Raglan Shaping.—Cast off 3 (4 : 5) sts. at beg. of next row, then dec. 1 st. at beg. of every alternate row until 18
continued on back page



This elegant dressing jacket is made of crocheted motifs sewn together in one strip, with the ribbed cuffs knitted on. A gay ribbon ties in bow at front

Crochet Bedjacket

MATERIALS.—Patons Beehive Fingering, 3-ply; approximately 5 oz. white and 2 oz. each in 4 contrasting colours; two No. 12 knitting needles; No. 11 Aero crochet hook; 1 yd. ribbon; elastic thread.

Size of motif.—2½ ins. square.

Measurements.—Length 57 ins.; width 20 ins.

Abbreviations.—See centre.

MOTIF.—With 1st colour and crochet hook make 4 ch. and join into a ring with a s.s. **1st round.**—2 ch. to stand as tr., work 11 tr. into ring. Change colour wool. **2nd round.**—2 ch., * 1 gr. (which is 3 tr., 1 ch. 3 tr.) in 1st tr., miss 2 tr.; rep. from * 3 times; join with s.s. Change colour wool. **3rd round.**—2 ch., * 3 tr. in 1st sp., 1 gr. in centre of gr.; rep. from * 3 times; join with s.s. Change colour wool. **4th round.**—2 ch., * 3 tr. in 1st sp., 1 gr. in centre of gr., 3 tr. in next sp.; rep. from * 3 times; join with s.s. Change

to W. **5th round.**—2 ch., * 3 tr. in 1st sp., 1 gr. in centre of gr., (3 tr. in next sp.) twice; rep. from * 3 times; join with s.s. Fasten off and darn in ends. Make 126 motifs, then join them into one strip, 7 motifs wide and 18 motifs long.

WRISTBANDS.—With W. wool work a row of d.c. along one short end, then with a No. 12 knitting needle pick up and k. 74 sts. along edge. Work in k. 1, p. 1 rib for 3½ ins. Cast off.

MAKING UP.—Join sleeve ribbing and 2 motifs of jacket. With right side facing work d.c. with W. wool round edge of jacket, working 1 d.c. in each st. **Next round.**—1 d.c. in 1st d.c., * miss next d.c., 3 tr. in next, miss next d.c., 1 d.c. in next; rep. from * all round. Fasten off. Work in a similar way round each sleeve edge. Run elastic thread along top edge of ribbing to keep wrist from stretching. Sew 2 ribbons to top edge of jacket, about 14 ins from centre.

Blue Cardigan (contd.)

inc. 1 st. each end of every 6th row until there are 103 (105 : 107) sts. Continue in patt. until work measures 18 ins. Shape top by casting off 8 (9 : 10) sts. at beg. of next 2 rows, then dec. 1 st. at beg. of every row until 47 sts. remain. Dec. 1 st. each end of next 8 rows. Cast off.

BUTTONHOLE BAND.—With No. 12 needles cast on 12 sts. and work 8 rows in k. 1, p. 1 rib. **Next row.**—Rib 5, cast off 3, rib 4. **Next row.**—Rib 4, cast on 3, rib 5. Continue in rib making 5 more buttonholes 2½ in. apart. Work 4 rows. Now dec. 1 st. at beg. of next, and at this edge on every row until 2 sts. remain. Cast off. Work another band to match, omitting buttonholes.

COLLAR.—With No. 9 needles cast on 199 sts. and work 2 rows in patt. as back. Continue in patt. dec. 1 st. at beg. of every row until 159 sts. remain. Now dec. 1 st. each end of every row until 115 sts. remain. Cast off 4 sts. at beg. of next 10 rows. Cast off.

MAKING UP.—Do not press. Join shoulders. Set in sleeves. Join side and sleeve seams. Sew on front bands. Sew cast-on edge of collar round neck. Sew on buttons. Work d.c. round collar edge.

Red Zip-up (contd.)

k. 2 tog., p. 1, k. 8, p. 1. **2nd row.**—K. 1, p. 8, k. 1, p. to end. Continue thus, working cable patt. as back until 27 (28 : 29) sts. remain. Work 1 row more.

Neck Shaping.—Cast off 8 (9 : 10) sts. at beg. of next row. Still shaping raglan as before, dec. 1 st. at neck edge on every row until all sts. are worked off.

LEFT FRONT.—As right reversed.

SLEEVES.—With No. 11 needles cast on 44 (48 : 52) sts. and work 3 ins. in twisted rib. Change to No. 9 needles and continue in st.st., inc. 1 st. each end of every 6th row until there are 80 (84 : 88) sts. Continue until work measures 19 ins.

Raglan Shaping.—Cast off 2 (4 : 6) sts. at beg. of next 2 rows. **Next row.**—P. 1, k. 2 tog. t.b.l., k. to last 3 sts., k. 2 tog., p. 1. **Next row.**—K. 1, p. to last st., k. 1. Rep. last 2 rows until 8 (8 : 8) sts. remain. Cast off.

NECKBAND.—Join raglan seams. With No. 11 needles, pick up and k. 88 (90 : 92) sts. round neck. Work 3 ins. twisted rib, beg. with a 2nd row. Cast off.

MAKING UP.—Press work. Join seams. Fold in and hem all ribbed edges, joining side edges. Face front edges with ribbon, omitting neckband. Sew in zip.

White Bolero (contd.)

(18 : 18) sts. remain, ending with p. row.

Neck Shaping.—Cast off 4 (4 : 4) sts. at beg. of next row, then dec. 1 st. at beg. of every row until all sts. are worked off.

RIGHT FRONT.—Work to match left front, reversing shapings.

SLEEVES.—With No. 8 needles cast on 54 (60 : 66) sts. and work in reversed st.st., inc. 1 st. at beg. of 3rd and every following row until there are 70 (76 : 82) sts. To shape top work as back raglan shaping until 2 sts. remain. Cast off.

NECK BORDER.—With No. 10 needles cast on 10 sts. **1st row.**—K. 2 tog., k. 7, inc. in last st. **2nd row.**—P. Rep. these 2 rows for 13½ ins. Cast off.

FRONT AND LOWER EDGE BORDER.—With No. 10 needles cast on 10 sts. and work as neck border for 1 in., ending k. Make buttonhole. **Next row.**—P. 3, cast off 3, p. to end. **Next row.**—K. 2 tog., k. 2, cast on 3, k. 2, inc. Continue in patt., working further buttonholes 2½ ins. apart until there are 5 in. all. Work 44 (45 : 46) ins. more. Cast off.

MAKING UP.—Press work. Join raglan shapings. Join side and sleeve seams. Sew on neck border then sew on front and lower border. Sew on buttons.

